

# slide platform for tubular slide ph 45 cm



Age indication



Speed




Balance



Social skills

## Scope of delivery










4x post construction: softwood or steel  
 1x platform construction: softwood  
 1x ramp: high-pressure laminate (HPL), softwood  
 1x slide entry board: high-pressure laminate (HPL)  
 1x grip set: aluminium, coated  
 fittings: stainless steel (V2A)













# slide platform for tubular slide ph 45 cm



## Technical data

	Material	Larch natural
	Minimum space	5,38x4,00x2,25 m
	Impact protection net	-
	Free falling height	45 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least Sand
	mx. number of users	5
	Tested according to standard	EN 1176 - 1/3/7
	Service interval (in months)	2

## Installation information

	Foundations	6x CF or 6x PFs
	Fundamentlevel	ET 400
	Assembly	2 persons/2 h
	PF Accessories	6x 5632540
	PF drainage	-
	PF concrete	-
	PF excavation	0,56 m <sup>3</sup>
	CF drainage	-
	CF concrete	0,29 m <sup>3</sup>
	CF excavation	0,67 m <sup>3</sup>




## Accessories

-  Slides for platform heights: 1x < 60 cm
- Installation accessories e.g. PF
- Please order accessories separately to complete the appliance.



5 11 078 031 40

# slide platform for tubular slide ph 45 cm



**Disclaimer:**

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at [gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/](https://gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/).

\* The CO<sub>2</sub>e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024