paradiso 5 45 309 053 06

# play unit Lasse, solo

eibe complete inspiration

Age indication | Fitness | Social skills | Living together | Speed

## Scope of delivery

4x post structure: robinia
1x platform structure: robinia
1x pent roof: robinia
1x ramp: robinia
3x walk-through protection: robinia
1x slide entry plate: robinia
1x set of grips: coated aluminium
4x squared timber: robinia
fittings: stainless steel







eibe Produktion + Vertrieb GmbH & Co. KG | Industriestraße 1 | 97285 Röttingen | Germany | Fon +49 9338 89-0 | Fax +49 9338 89-199 | www.eibe.net

paradiso 5 45 309 053 06

# play unit Lasse, solo

eibe complete inspiration

## Technical data

| | |
|---|---|
| Material | Robinia oiled |
| Minimum space | 6,76x4,27x3,58 m |
| Impact protection net | 22,0 m² |
| Free falling height | 95 cm |
| Ground constitution DE/NL/BE | at least lawn |
| Ground constitution all except DE/NL/BE | at least lawn |
| Largest section | Ø 14x405 cm |
| mx. number of users | 6 |
| Certificate | Z2_010651_0524_Rev00 |

## Installation information

| | |
|---|---|
| Foundations | 6x CF |
| Fundamentlevel | ET 700 |
| Assembly | 2 Personen/2 Std. |
| PF Accessories | - |
| PF drainage | - |
| PF concrete | - |
| PF excavation | - |
| CF Accessories | - |
| CF drainage | 0,14 m³ |
| CF concrete | 0,42 m³ |
| CF excavation | 1,11 m³ |

## Accessories

Slides for platform heights: 1x 95 cm

Installation accessories e.g. PF
Please order accessories separately to complete the appliance.

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height

eibe Produktion + Vertrieb GmbH & Co. KG | Industriestraße 1 | 97285 Röttingen | Germany | Fon +49 9338 89-0 | Fax +49 9338 89-199 | www.eibe.net

Gesellschaft für Klimaschutz München

eibe complete inspiration

**5 45 309 053 06**

# play unit Lasse, solo

| | |
|---|---|
| **$CO_2$ emissions of the product** | **83,4 kg** |
| **Material share of renewable raw materials** | **98%** |
| **Recyclate content** | **1%** |

Circularity score

Weighted emission factor of the product*




Disclaimer:
This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.
* The $CO_2e$ emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024